



# Getting Started with $\text{\LaTeX}$

And why I don't use Word anymore

---

Jack Naylor

April 15, 2021

Casual Academic - University of Sydney

What is  $\text{\LaTeX}$ ?

---

# A bit of Background

- Widely regarded as the standard typesetting method for academic journals
  - Far easier to present data, equations
  - Much easier to cite references (i.e. automatic footnotes, hyperlinking etc.)
  - Separates content from the formatting of documents

# A bit of Background

- Widely regarded as the standard typesetting method for academic journals
  - Far easier to present data, equations
  - Much easier to cite references (i.e. automatic footnotes, hyperlinking etc.)
  - Separates content from the formatting of documents
- Far more control over many aspects of the document
  - Backend rather than frontend (e.g. Word)
  - Images won't disappear when moved slightly
    - Everything is where you tell it to be

- Files can be as big as needed, don't need to worry about a 30+ page Word doc crashing
- Multi-file documents are very easy to achieve, no post-processing
- It looks pretty

Something to keep in mind throughout this presentation: *every single slide* is done in  $\text{\LaTeX}$

**What can I do?**


---

In short: anything you can do with Word + much much more!!





Diagrams from scratch:



**Figure 1:** Image formation captured by imaging camera

GIFS:



- Inline:

It is known that  $y = x^2 + 2x + 4$  is a parabola.

- Block:

Here is a Fourier transform:

$$\mathcal{F}(\omega) = \int_{-\infty}^{\infty} f(t)e^{i\omega t} dt$$

- Numbered:


$$|+_x\rangle = \frac{1}{\sqrt{2}} |+\rangle + \frac{1}{\sqrt{2}} |-\rangle \quad (1a)$$


$$|-_x\rangle = -\frac{1}{\sqrt{2}} |+\rangle + \frac{1}{\sqrt{2}} |-\rangle \quad (1b)$$

$$|\langle + |+_x\rangle|^2 = 0.5 \quad (1c)$$

# Plots


Using gnuplot:







**Figure 2:** A Klein Bottle plotted via pgfplots/gnuplot

# MATLAB Plots:







**Figure 4:** Simulated Apollo 11 Trajectory



**I'm interested! How do I start learning?**

---

**MikTeX** Standalone  $\text{\LaTeX}$  compiler and editor. Good for local installations on Windows.

- Very easy to use
- Good package support from CTAN (Comprehensive TeX Archive Network)
- Not the prettiest
- THE WHITE - IT BURNS

**MikTeX** Standalone  $\text{\LaTeX}$  compiler and editor. Good for local installations on Windows.

- Very easy to use
- Good package support from CTAN (Comprehensive TeX Archive Network)
- Not the prettiest
- THE WHITE - IT BURNS

**Overleaf** Web based, cloud storage. The [Google Docs](#) of  $\text{\LaTeX}$ .

- Very easy to use
- GitHub integration
- Free Pro+ account by registering as a USYD student/staff member
- Multiple author editing
- Some packages might not be recognisable

We'll be using **Overleaf**  
overleaf.com

# Starting off a Document

**Define document class:**

```
\documentclass[12pt]{article}
```

**Begin document:**

```
\begin{document}
```

```
<insert document content here>
```

```
\end{document}
```

Well done! You've just told  $\text{\LaTeX}$  to create a new, blank document!  
So... is that it?



Not in the slightest!

# The Preamble

Everything before `\begin{document}` is known as the **preamble**. Let's start customising this.

```
\documentclass{article}
\title{My Title}
\author{My Name}
\date{\today}
\begin{document}
\maketitle
...
\end{document}
```

```
\documentclass{article}
\title{My Title}
\author{My Name}
\date{\today}
\begin{document}
\maketitle
\section{My Section Name}
...
\end{document}
```

# Sections

```
\documentclass{article}
\title{My Title}
\author{My Name}
\date{\today}
\begin{document}
\maketitle
\section{My Section Name}
...
\end{document}
```

Bonus: try adding `\tableofcontents` after `\maketitle`

# Maths

Maths can be added pretty easily:

- `$$\tan\alpha$` gives  $\tan \alpha$

Maths can be added pretty easily:

- $\tan \alpha$  gives  $\tan \alpha$
- $\int_{-\infty}^{\infty} \frac{\cos x}{x^2 + 1} dx = \frac{\pi}{e}$  gives

$$\int_{-\infty}^{\infty} \frac{\cos x}{x^2 + 1} dx = \frac{\pi}{e}$$

# Maths

Maths can be added pretty easily:

- `\tan\alpha` gives  $\tan \alpha$
- `[\int_{-\infty}^{\infty} \frac{\cos x}{x^2+1} dx = \frac{\pi}{e}]` gives

$$\int_{-\infty}^{\infty} \frac{\cos x}{x^2 + 1} dx = \frac{\pi}{e}$$

Maths also comes in environments:

E.g. `\begin{equation}...\end{equation}`

$$\frac{d \sin x}{d \cos x} = -\cot x \tag{2}$$



# Maths

Maths can be added pretty easily:

- $\tan \alpha$  gives  $\tan \alpha$
- $\int_{-\infty}^{\infty} \frac{\cos x}{x^2+1} dx = \frac{\pi}{e}$  gives

$$\int_{-\infty}^{\infty} \frac{\cos x}{x^2 + 1} dx = \frac{\pi}{e}$$

Maths also comes in environments:

E.g.  $\begin{equation} \dots \end{equation}$

$$\frac{d \sin x}{d \cos x} = -\cot x \tag{2}$$

and  $\begin{align*} \dots \end{align*}$

$$\begin{aligned} F(s) &= \mathcal{L}\{t\} \\ &= \frac{1}{s} \end{aligned}$$

# Packages

You'll notice that `align*` doesn't work. The reason is, you haven't added the package necessary yet.

Try including `\usepackage{amsmath}` in your preamble.

# Packages

You'll notice that `align*` doesn't work. The reason is, you haven't added the package necessary yet.

Try including `\usepackage{amsmath}` in your preamble.

After you've checked that works - load the `graphics` package.

```
\begin{figure}[h!]  
  \includegraphics{/path/to/figure}  
  \caption{}  
  \label{}  
\end{figure}
```

```
\begin{figure}[h!]  
  \includegraphics{/path/to/figure}  
  \caption{}  
  \label{}  
\end{figure}
```

The [h!] component tells  $\text{\LaTeX}$  to put the image exactly where you told it to. A big one-up on Word.

Congratulations! You've just learnt  $\LaTeX$  to the stage where you can do what Word does. But there is so much more!

## The best way to keep learning

There is thousands of packages for different things! The only way you can learn them is by going through and using them in documents. [Stackexchange is your friend.](#)

## The best way to keep learning

There is thousands of packages for different things! The only way you can learn them is by going through and using them in documents. [Stackexchange is your friend](#).

The best way of continuing to learn  $\text{\LaTeX}$  is to [keep using it](#). We've only touched the tip of the iceberg as to what  $\text{\LaTeX}$  can do!



## The best way to keep learning

There is thousands of packages for different things! The only way you can learn them is by going through and using them in documents. [Stackexchange is your friend](#).

The best way of continuing to learn  $\LaTeX$  is to [keep using it](#). We've only touched the tip of the iceberg as to what  $\LaTeX$  can do!

Other things you can have  $\LaTeX$  do:

# The best way to keep learning

There is thousands of packages for different things! The only way you can learn them is by going through and using them in documents. [Stackexchange is your friend](#).

The best way of continuing to learn  $\LaTeX$  is to [keep using it](#). We've only touched the tip of the iceberg as to what  $\LaTeX$  can do!

Other things you can have  $\LaTeX$  do:

- Solve differential equations

# The best way to keep learning

There is thousands of packages for different things! The only way you can learn them is by going through and using them in documents. [Stackexchange is your friend](#).

The best way of continuing to learn  $\LaTeX$  is to [keep using it](#). We've only touched the tip of the iceberg as to what  $\LaTeX$  can do!

Other things you can have  $\LaTeX$  do:

- Solve differential equations
- Plot natively in the document

# The best way to keep learning

There is thousands of packages for different things! The only way you can learn them is by going through and using them in documents. [Stackexchange is your friend](#).

The best way of continuing to learn  $\LaTeX$  is to [keep using it](#). We've only touched the tip of the iceberg as to what  $\LaTeX$  can do!

Other things you can have  $\LaTeX$  do:

- Solve differential equations
- Plot natively in the document
- Presentations (like this one!)

**Other programs to help create  
nice looking documents in  $\text{\LaTeX}$**

---

**TikzEdt** Semi-graphical tikz editor - very similar to the semiconductor drawing I showed earlier

**TikzEdt** Semi-graphical tikz editor - very similar to the semiconductor drawing I showed earlier

**gnuplot** Did those very nice plots earlier

**TikzEdt** Semi-graphical tikz editor - very similar to the semiconductor drawing I showed earlier

**gnuplot** Did those very nice plots earlier

**MATLAB** You can change labels/figure ticks so they look like they're native to  $\text{\LaTeX}$ .  
**Extremely** good integration



**TikzEdt** Semi-graphical tikz editor - very similar to the semiconductor drawing I showed earlier

**gnuplot** Did those very nice plots earlier


**MATLAB** You can change labels/figure ticks so they look like they're native to  $\text{\LaTeX}$ .  
**Extremely** good integration

**ImageMagick** Handy command line image editor

**USYD Report Template** A template I've made that can be found at  
<https://nackjaylor.github.io/resources/latex>

**Texnique** A website that exposes you to **lots** of maths equations.

Jack Naylor  
jack.naylor@sydney.edu.au



## Temporary page!

$\text{\LaTeX}$  was unable to guess the total number of pages correctly. As there was some unprocessed data that should have been added to the final page this extra page has been added to receive

If you rerun the document (without altering it) this surplus page will go away, because  $\text{\LaTeX}$  now knows how many pages to expect for this document.